

Cub Cadet

Power Equipment

The New, Advanced Cub Cadet Garden Tractor

**ALL THE
REASONS
ON EARTH
TO BUY A
CUB CADET.**

Cub Cadet

1862



A close-up photograph of a yellow riding lawn mower. The focus is on the black seat, the yellow body panels, and a large, treaded black tire mounted on a tan-colored wheel. The background is a plain, light-colored wall. A white rectangular box with a black border is superimposed over the middle of the image, containing the text "THE COMFORTS OF A CAR." in bold, black, sans-serif capital letters.

THE COMFORTS OF A CAR.

A black trash can is positioned on a green lawn in front of a white house with dark shutters. The trash can is the central focus, with its lid and body visible. The house in the background has a window with dark shutters and a white pillar. The overall scene is outdoors during the day.

THE VIRTUES OF A CUB CADET.



Cub Cadet

Cub Cadet



Every Cub Cadet Garden Tractor is designed and built to provide all the qualities you look for in a tractor.

And it's built truck-tough from top to bottom — with the following major innovations.

A strong, heavy $\frac{3}{4}$ " diameter, steel drive shaft.

Large, 1" diameter, one-piece steering knuckles.

A cast-iron front axle pivot bar that offers improved stability and a 30% greater turning radius.

A 5-gallon fuel capacity saddle tank, that provides longer cutting time and is easier to fill at the fender location.

Automotive-style battery for improved cold-weather starting and longer battery life.

Heavy, $\frac{1}{2}$ " tie-rod ends, for long life.

Body components constructed with dent resistant engineered materials that can't rust, and never need painting.

Dual halogen headlights — increase visibility for dusk and night time operation.

When you buy a Cub Cadet Garden Tractor, you also buy our reputation for toughness, reliability and value.

You'll get an extra margin of power —

to handle the tough jobs, even under less than ideal conditions.

Ease of handling — to make gardening and yard maintenance a pleasure.

Smooth, trouble-free operation — with a minimum of maintenance.

Rugged durability — to stand up to year after year of hard use.

Total reliability — to start quickly every time.

Outstanding versatility — to do more than one job, and do them all exceptionally well.

Extended service life — to pay back your investment many times over.

Safety protected — to help prevent accidents.

Innovative engineering and state-of-the-art technology — to provide you with the ultimate in performance, convenience, and value.

Every Cub Cadet Garden Tractor is designed and built with you — and your little corner of the world — in mind.

And every Cub Cadet tractor is backed by our network of trained service professionals — and our exclusive 2-year limited warranty.

Cub Cadet. Toughness you can depend on!


Cub Cadet

Power Equipment

Cub Cadet

THE TOUGHNESS OF A TRUCK.

1862



All The Right Innovations.

Tilt Steering Column

Features 6 locking tilt positions and 14", 4-spoke automotive-style wheel for easy, comfortable operation.

Adjustable Seat

Automotive-style, 5-position, single-lever adjustment, for extra comfort. (On all garden tractors except models 1335 and 1535)


Fuel Tank

5-Gallon capacity saddle tank, for long operating time.

Rear Axle

30mm forged axle, with ball bearings and heavy axle carriers, for rugged durability.





Battery

Automotive, 440 cold-cranking amps with 70-minute reserve, for sure starts.

Hood and Side Panels

Rustproof, dent resistant engineered materials, with molded through color.

Headlights

Dual, 27w halogen elements, for excellent visibility at dusk.

Front Axle

Redesigned cast iron pivot bar, for stability and improved turning radius.

Steering Knuckles

One-piece, 1" diameter construction, for safe operation over any terrain.

Front Wheel Grease Fitting

External grease fitting, for long life and easy maintenance.

Driveshaft and Coupling

$\frac{3}{4}$ " Diameter steel shaft with 10-blade fan. Grease-packed, constant-velocity style joint with flexible boot to seal out dirt and dust.

Fenders and Scuff Mats

Three-piece steel fenders, non-skid rubber mats, for less scuffing.

Model 2182 Super Garden Tractor

21 H.P. Engine / Hydrostatic Transmission / Hydraulic Lift



50" Cutting Deck

Super Garden Tractors Are Available With Optional 46", 50", Or 60" Cutting Decks.

IT DEFINES LUXURY AND DELIVERS RUGGED VERSATILITY.

If you want the best — and nothing but the best — this is it.

21 herculean horses of smooth, effortless power — supplied by a thoroughbred three-cylinder, liquid cooled, gas engine.

This unit has what it takes to breeze through the most demanding garden or landscaping chores without breaking a sweat.

Like all Cub Cadet tractors, the Model 2182 features a full length channel steel frame and cast-iron front axle.

What's it like to operate? Sheer pleasure!

In fact, the 2182 handles more like a sports car than a tractor. Consider the following luxury features:

- Dual halogen headlights — increase visibility for dusk and night time operation.
- Power steering — for effortless maneuvering.
- Hydrostatic transmission — provides no-clutch, no-shift direct drive.
- 6-position, tilt steering wheel — to fit your body like a custom-tailored suit.
- 14" diameter, automotive-style steering wheel.
- Super-comfortable 5-position safety seat, that adjusts with a single lever.
- Hydraulic lift — for easy deck positioning.
- And new, redesigned dash and operator controls that are easy to see, easy to reach, easier to use.

Optional 60", 50", and 46" floating mowing decks provide level, even cutting over bumps and dips.

A wide range of easy-to-install attachments — including snow blades, snowthrowers, and tillers.

If you want the most powerful . . . rugged . . . easy-to-operate garden tractor available anywhere, stop reading, and get yourself a Cub Cadet Model 2182!

Model 1782 Super Garden Tractor

The same quality features as the Model 2182 — with a 17 H.P. three-cylinder, liquid cooled diesel engine.

This tough engine delivers quiet, smooth power while offering exceptional advantages in reliability and economy.



Model 1782 Super Garden Tractor, With Optional 46" High Vacuum Cutting Deck And Triple Bagger. Powered By A 17 H.P. Kubota Diesel Engine.



Power Steering Is Standard On Super Garden Tractors.

Model 2082 Super Garden Tractor

20 H.P. Engine / Hydrostatic Transmission / Hydraulic Lift



The Optional 60" Cutting Deck Mows A Wide Path, When Used With A Super Garden Tractor.



The 20 H.P. Twin-Cylinder Kohler Magnum Engine Makes The Model 2082 A Real Powerhouse!



POWER TO SPARE AND AS TOUGH AS THEY COME.

This sod-busting bully of a tractor has all the power you'll ever need for any garden or yard maintenance chore. Supplied by a no-nonsense 20 horsepower, twin-cylinder Kohler Magnum engine.

And it's got the inner strength to stand up to year-round usage.

In fact, this tractor has the kind of rugged design and construction you'd expect in a heavy-duty truck, and has all the major innovations featured on Models 2182 and 1782.

And yet — for all its power and ruggedness — the Model 2082 behaves like a real gentleman when it's time to operate it. In fact, it offers many luxury features usually found in quality automobiles.

- Power steering — for effortless maneuvering.
- Hydrostatic transmission.
- 6-position, tilt steering wheel — for increased operator comfort.
- 14" diameter, automotive-style steering wheel.
- Super-comfortable 5-position safety seat, that adjusts with a single lever.
- Hydraulic lift — for easy deck positioning.

Optional 60", 50" and 46" floating mowing decks provide level, even cutting.

A wide range of easy-to-install attachments — including snow blades, snowthrowers, and tillers.

The Cub Cadet Model 2082. A perfect blend of power, reliability, and comfort.

Model 1882 Super Garden Tractor

The same quality features as the Model 2082 — with an 18 H.P. twin-cylinder Kohler Magnum engine. This engine is designed for optimum performance, even when faced with sudden or intermittent loads.



Model 1882 Super Garden Tractor, With Optional 50" Cutting Deck. Powered By An 18 H.P. Twin-Cylinder Kohler Magnum Engine.

Dual Hydraulic Front Outlets Allow For Power-Assisted Attachments. (Hydraulic Outlet Kit: Part No. 759-3493)



The Totally Redesigned Super Garden Tractor Dash Is User Friendly. Backlit Indicators Provide Valuable Information While Operating.

Model 1862 Garden Tractor

18 H.P. Engine / Hydrostatic Transmission / Hydraulic Lift



The Optional 44" Cutting Deck, Available For Model 1860 And 1862 Garden Tractors.



Models 1862 And 1860 Are Powered By The Rugged, 18 H.P. Twin-Cylinder Kohler Magnum Engine.

BIG TRACTOR PERFORMANCE AND THE QUICKNESS OF A COMPACT.

In the yard and garden jungle, it's survival of the fittest. And this little tiger of a tractor has what it takes to earn its stripes over and over again.

The snarling, snapping 18 H.P., twin-cylinder, Kohler Magnum engine is the same one found on the larger Model 1882. But it's mounted on a compact frame that allows it to move and maneuver with cat-like grace.

But for all its power and toughness, the Model 1862 never forgets that the real king of the jungle is *you*. The following automotive-like features let you handle this garden tractor with total ease.

- Power steering — for effortless maneuvering.
- Hydrostatic transmission.
- 6-position, tilt steering wheel.
- 14" diameter, automotive-style steering wheel.
- Super-comfortable 5-position safety seat, that adjusts with a single lever.
- And new, redesigned dash and operator controls that are easy to see, easy to reach, easier to use.

Optional 38", 44", 46" and 50" floating mowing decks provide level, even cutting.

Hydraulic lift — for easy deck positioning.

A wide range of easy-to-install attachments — including snow blades, snowthrowers and tillers.

The Cub Cadet Model 1862. Because it's a *jungle* out there!

Model 1860 Garden Tractor

This unit features an 18 H.P., twin-cylinder Kohler Magnum engine. For comfort and convenience it features a hydrostatic transmission, tilt steering, automotive-style steering wheel, adjustable seat, manual lift and optional mowing decks. It does not feature power steering.



Model 1860 Garden Tractor, With Optional 46" High-Vacuum Cutting Deck And Triple Bagger.



The All New Dash On Model 1860 Garden Tractor Provides Useful Information And Features Easy-To-Use Controls.

Model 1541 Garden Tractor

15 H.P. Engine / Hydrostatic Transmission / Hydraulic Lift



Optional 46"
High-Vacuum
Cutting Deck,
Available On
15 HP And 18
HP Models.



MEDIUM-POWER ENGINE AND A RUGGED COMPACT FRAME.

For applications that don't require the power and size of our larger models — that Model 1541 is an outstanding choice.

But don't get us wrong. This versatile tractor has all the power you'll ever need for normal yard and garden use. The 15 H.P. twin-cylinder, Kohler Magnum engine delivers smooth, reliable power that gets the job done fast.

And the compact size is an advantage — not a compromise. The compact frame

is perfect for maneuvering in tight quarters, and steering around trees and shrubbery.

What's more, the Model 1541 has all the built-in toughness found in our larger models except power steering.

And the 1541 doesn't take a back seat when it comes to operating convenience and comfort. Consider these "top-of-the-line" features.

- Hydrostatic transmission.
- 6-position, tilt steering wheel.
- 14" diameter, automotive-style steering wheel.
- Super-comfortable 5-position safety seat that adjusts with a single lever.
- And new, redesigned dash and operator controls that are easy to see, easy to reach, easier to use.

Optional 38", 44", 46" or 50" floating mowing decks provide level, even cutting.

Hydraulic lift — for easy deck positioning.

A wide range of easy-to-install attachments — including snow blades, snowthrowers, and tillers.

With Cub Cadet, you don't have to think "big" to think "best". Try Model 1541 on for size, and you'll see what we mean.

Model 1535 Garden Tractor

This unit features a 15 H.P. twin-cylinder Kohler Magnum engine, with a 6-speed gear transmission and manual lift.



Model 1535 Garden Tractor,
With Optional 44" Cutting Deck.

Models 1541 and
1535 Are Powered
By The Rugged 15
H.P. Kohler
Magnum Engine.



The Model 1535
Garden Tractor
Dash Offers Easy-
To-Use Controls.

Model 1340 Garden Tractor
12.5 H.P. Engine / Hydrostatic Transmission / Hydraulic Lift



38" Cutting Deck

*Garden Tractors
Are Available With
Optional 38", 44",
46" or 50" Cutting
Decks.*



No-NONSENSE ECONOMY AND No-COMPROMISE QUALITY.

If you have a medium-size yard or garden — and a medium-size budget — this is the tractor for you. The 12.5 H.P. overhead valve Kohler engine has more than enough power for normal applications. And it can save you big money on fuel consumption.

Best of all, the Model 1340 offers genuine Cub Cadet quality, front to back,

top to bottom. Like every tractor we make, it's designed and built to provide an extra margin of tough, rugged dependability.

And the 1340 lets you enjoy the same ease of operation and comfort found in our larger models.

- Hydrostatic transmission
- 6-position, tilt steering wheel.
- 14" diameter, automotive-style steering wheel.
- Super-comfortable 5-position safety seat, that adjusts with a single lever.
- And new, redesigned dash and operator controls that are easy to see, easy to reach, easier to use.

Optional 38", floating mowing deck provides level, even cutting.

8-position manual deck lift.

A wide range of easy-to-install attachments — including snow blades, snowthrowers, and tillers.

The Model 1340. Good things . . . in a smaller package.

~~Model 1335 Garden Tractor~~

~~This garden tractor features a 12.5 H.P. overhead valve Kohler engine with 3-speed gear drive transmission. This versatile, direct-drive transmission provides plenty of traction — no matter what loads are encountered — to save valuable time.~~



~~Model 1335 Garden Tractor
With Optional 38" Floating Deck~~



Model 1340 Dash,
With Easy-To-Use
Speed Control
Lever.

38" High-Vacuum
Cutting Deck
Works With A
10-Bushel Triple
Bagger For Maxi-
mum Mowing
Efficiency.

Garden Tractor Attachments



190450 Snowthrower 45", 2-stage



190401 Snow Blade 54" for Super Garden Tractor



190376 Snow Blade 54"



190483 Lawn Sweeper 38"



190653 10 Cu. Ft. Trailer (750 lb. capacity)



190509 Lawn Roller 36" x 24"



190438 Broadcast Spreader



190442 PTO Driven Tiller 40" for Super Garden Tractor



190349 PTO Rotary Cutter 42" for Super Garden Tractor



190335 Triple Rear Bagger for 38" and 46" High-Vacuum Decks



190400 8 H.P. Tiller



190655 Spike Aerator

1000	1340	1535	1541	1860	1862	1782	1882	2082	2182
------	------	------	------	------	------	------	------	------	------

Front-Mounted Attachments

190375 Snow Blade 42"	•	•	•	•	•	•			
190376 Snow Blade 54"	•	•	•	•	•	•			
190377 Adapting Pkg. for 42" & 54" Blade	•	•	•	•	•	•			
190401 Snow Blade 54" (Super G.T.)						•	•	•	•
190378 Hydraulic Blade Angle Kit				•		•	•	•	•
190450 Snowthrower 45" 2-Stage	•	•	•	•	•	•	•	•	•
190448 Snowthrower Adapting Kit (Super G.T.)						•	•	•	•
190449 Snowthrower Adapting Kit	•	•	•						

Center-Mounted Attachments

190328 Mowing Deck High-Vacuum 38"	•	•	•	•	•	•			
190357 Mowing Deck 38"	•	•	•	•	•	•			
190358 Mowing Deck 44"	•	•	•	•	•	•			
190336 Mowing Deck High-Vacuum 46"			•	•	•	•	•	•	•
190333 Adapting Kit for 46" Deck			•	•	•	•			
190332 Adapting Kit for 46" Deck (Super G.T.)						•	•	•	•
190359 Mowing Deck 50"			•	•	•	•	•	•	•
190360 Adapting Kit for 50" Deck			•	•	•	•			
190361 Adapting Kit for 50" Deck (Super G.T.)						•	•	•	•
190374 60" Mowing Deck						•	•	•	•
190385 Adapting Kit for 60" Deck						•	•	•	•

Rear-Mounted Attachments

190388 3-Point Category "O" Hitch (Mech. Lift)	•	•	•		•				
190389 3-Point Category "O" Hitch (Hydr. Lift)				•		•			
190383 3-Point Category "O" Hitch (Super G.T.)						•	•	•	•
190433 Rear PTO Kit (Super G.T.)						•	•	•	•
190400 8 H.P. Tiller	•		•	•	•	•			
190442 PTO Driven Tiller 40" (Super G.T.)						•	•	•	•
190349 PTO Rotary Cutter 42" (Super G.T.)						•	•	•	•
190924 "A"-Frame Adapter (3-pt. to sleeve)	•	•	•	•	•	•	•	•	•
190978 10" Moldboard Plow (sleeve hitch)	•	•	•	•	•	•	•	•	•
190980 Single Disc Harrow (sleeve hitch)	•	•	•	•	•	•	•	•	•
190984 Row Crop Cultivator (sleeve hitch)	•	•	•	•	•	•	•	•	•
190920 12" Moldboard Plow (3-pt. hitch)	•	•	•	•	•	•	•	•	•
190921 Tandem Disc (3-pt. hitch)	•	•	•	•	•	•	•	•	•
190922 Spring Cultivator (3-pt. hitch)	•	•	•	•	•	•	•	•	•
190901 Core Aerator	•	•	•	•	•	•	•	•	•
190335 Triple Rear Bagger for High-Vacuum 46" Deck (G.T. only)			•	•	•				
190330 Triple Rear Bagger for High-Vacuum 46" Deck (S.G.T. only)						•	•	•	•
190329 Adapting Kit for Triple Rear Bagger (S.G.T. only)						•	•	•	•
190327 Triple Rear Bagger for High-Vacuum 38" Deck	•	•	•	•	•	•			

Miscellaneous Attachments

190370 Rear Wheel Weights (2 @ 75 lbs. each)	•	•	•	•	•	•	•	•	•
190409 Agricultural Tread Tires/Rims (2) 23"	•	•	•	•	•	•			
190410 Agri. Tread Tires/Rims (2) 26" (Super G.T.)						•	•	•	•

Trailing Attachments

190653 10 Cu. Ft. Trailer (750 lb. capacity)	•	•	•	•	•	•	•	•	•
190368 10 Cu. Ft. Trailer (1200 lb. capacity)	•	•	•	•	•	•	•	•	•
190425 10 Cu. Ft. Trailer (1500 lb. capacity)	•	•	•	•	•	•	•	•	•
190655 Spike Aerator	•	•	•	•	•	•	•	•	•
190509 Lawn Roller 36" x 24"	•	•	•	•	•	•	•	•	•
190438 Broadcast Spreader	•	•	•	•	•	•	•	•	•
190482 32" Lawn Sweeper	•	•	•	•	•	•	•	•	•
190483 38" Lawn Sweeper	•	•	•	•	•	•	•	•	•

Specifications

MODEL	1782	1882	2082	2182
Power				
Make	Kubota 17 H.P. 3-cylinder diesel	Kohler 18 H.P. 2-cylinder	Kohler 20 H.P. 2-cylinder	Kubota 21 H.P. 3-cylinder gas
Cooling	Liquid	Air		Liquid
Lubrication	Automotive type with oil filter			
Block	Cast-iron	Cast-iron cylinders		Cast-iron
Fuel	No. 2 diesel fuel	Regular or unleaded gasoline		
Power Train				
Transmission	Hydrostatic, infinite ground speeds			
Final Drive	Automotive differential in cast-iron carrier. Ring gear & pinion on tapered roller bearings. 30mm axle.			
Clutch	None			
Engine to transmission	Drive shaft, no belts.			
PTO Clutch	Electric front PTO (2000 RPM) Rear PTO (Optional)			
Electrical System				
Charging System	15 AMP alternator, regulated	15 AMP regulated		15 AMP alternator, regulated
Ignition	12-volt battery			
Safety	Seat safety switch, no-cut-in-reverse, neutral start			
Operation				
Power Steering	Standard			
Lift	Hydraulic lift standard — operates center, front, rear attachments			
Hitch	Category "O" 3-Point optional			
Brake	Dual external disc, with dual pedal control			
Construction				
Frame	Full length, C-shaped, twin-channel steel			
Front Axle	Cast-iron, with greasable spindles & center pivot, 1" axle to wheels with inner & outer ball bearings			
Superstructure	All-steel fenders, hood and side panels constructed of engineered materials.			
Mower Deck				
Cutting Widths	60", 50", or 46" optional			
Suspension	Floating, with 4-point parallel linkage			
Anti-Scalp	Four anti-scalp gauge wheels, one roller on 46", 50", 60" decks.			
Capacities				
Fuel Tank	5 gallons			
Engine Oil	6.2 pints	3.8 pints		6.2 pints
Dimensions				
Turning Radius	36"			
Tires - Front/Rear	18" x 8.50" - 10" (2-ply) / 26" x 12" - 12" (2-ply)			
Overall Length	78.5"			
Overall Width w/o Deck	43.5"			
Height at steering wheel	47.5"			
Warranty	2 year Limited Residential Warranty / 1 year Limited Commercial Warranty			

MODEL	1885	1340	1535	1541	1860	1862
Power						
Make	Kohler 12.5 H.P., 1-cylinder		Kohler 15 H.P., 2-cylinder		Kohler 18 H.P., 2-cylinder	
Cooling	Air					
Lubrication	Automotive type with oil filter.					
Block	Aluminum w/cast-iron cylinder liner		Aluminum crankcase, with removable cast-iron cylinder barrels			
Fuel	Regular or unleaded gasoline					
Power Train						
Transmission	Compound gear	Hydrostatic	6-speed gear	Hydrostatic	Hydrostatic	Hydrostatic
Final Drive	Automotive differential in cast-iron carrier. Ring gear & pinion on tapered roller bearings. 30mm axle.					
Clutch	Automotive clutch	None	Automotive dry disc	None	None	None
Engine to Transmission	Drive shaft, no belts.					
PTO Clutch	Electric front PTO					
Electrical System						
Charging System	15 AMP regulated					
Ignition	12-volt battery					
Safety	Seat safety switch, no-cut-in-reverse, neutral start					
Operation						
Steering	Greasable, enclosed gear and cam					Power Steering
Steering Ratio	3 turns stop-to-stop					
Lift	Mechanical	Mechanical	Mechanical	Hydraulic	Mechanical	Hydraulic
Hitch	Category "O" 3-Point hitch (optional)					
Brake	Dual external disc					
Construction						
Frame	Full length, C-shaped, twin-channel steel					
Front Axle	Cast-iron, with greasable spindles & center pivot. 1" axle to wheels with inner & outer ball bearings					
Superstructure	All-steel fenders, hood and side panels constructed of engineered materials.					
Mower Deck						
Cutting Widths	38" or 44"		38", 44", 46" or 50" optional			
Suspension	Floating, with 4-point parallel linkage					
Anti-Scalp	Four anti-scalp gauge wheels, one roller on 44", 46" and 50" decks. Roller and two anti-scalp gauge wheels on 38" High-Vacuum deck. Roller and anti-scalp runners on 38" deck.					
Capacities						
Fuel Tank	5 gallons					
Engine Oil	3 pints		3.8 pints			
Dimensions						
Turning Radius	25.0"					
Tires - Front/Rear	16" x 6.50" - 8" (2-ply) / 23" x 10" - 12" (2-ply)					
Wheelbase	45.5"					
Overall Length	72"					
Overall Width (w/o Deck)	37.75"					
Height at steering wheel	44"					
Warranty	2-year Limited Residential Warranty / 1-year Limited Commercial Warranty					

Cub Cadet Garden Tractor Quote Sheet

Date: _____ Sales Representative _____

Customer: _____

Model Number: _____ Description: _____

Options / Attachments: _____

Price: _____

Freight / Set-Up: _____

Less Trade-In: _____

Less Other: _____

Sub-Total: _____

Sales Tax: _____

Total: _____

Price Effective Until: _____

**EVANS AGRICULTURAL
SERVICES, INC.
8030 So. Scottdale Rd.
Berrien Spgs. MI 49103**



P.O. Box 360930
Cleveland, Ohio 44136

All specifications and designs are subject to change without prior notice or obligation.