

Cub Cadet

Power Equipment

Lawn Tractors



A yellow tractor is shown from a side-rear perspective on a green golf course. The scene is set during sunset or sunrise, with a warm, golden light filtering through the trees in the background. The tractor's seat, steering wheel, and a control lever are visible. The overall mood is serene and professional.

One Tough Tractor.



- Ready for a totally tough tractor? Then you're ready for the 1991 Cub Cadet Lawn Tractor. Climb aboard . . . turn the key . . . point it in the right direction . . . and turn it loose! ■ Experience the bold, eager power. The way it charges up inclines without hesitation . . . and slices effortlessly through heavy turf. ■ Observe the ease of handling. The tight turning radius. The user-friendly controls.
- Admire the results. Smooth, square-cut, manicured lawns a professional groundskeeper would be proud of. ■ Want help with other outdoor chores? Your Cub Cadet is ready, willing and definitely able. With the power and strength to handle optional attachments such as snowthrowers, snow blades, de-thatchers, and trailers.
- While you're at it, check the construction. Truck tough. With welded, full-length, twin-channel steel frame—and cast-iron front axle. That kind of ruggedness pays off big in reliability and extended service life. ■ Choose from seven performance packed models. Engines up to 17 HP. Hydrostatic or easy-shift transmissions. Cutting widths up to 46". ■ Best of all, Cub Cadet Lawn Tractors are manufactured right here in America . . . by American workers. And backed by over 1500 factory-trained servicing dealers, and a 2-year limited warranty. ■ The Cub Cadet Lawn Tractor. One tough tractor.

Top-Of-The-Line Quality.



*Model 1720 Lawn Tractor
17 HP / Hydrostatic Transmission / Optional 46" Cutting Deck*



The Model 1720 is the most powerful lawn tractor we make—with a full 17 horses and hydrostatic transmission. It's the one you need if your lawn has an uneven terrain, or you intend to use your tractor for heavy snow removal. Your Choice of optional 38", 44" or 46" cutting decks, for maximum mowing efficiency.

- 17 HP Twin-Cylinder Kohler Magnum Engine.
- Full-Pressure Lubrication.
- Infinitely Variable Speed Hydrostatic Transmission.
- Optional Cutting Decks: 38" High-Vacuum With Optional 6.5-Bushel Twin Bagger, 44" Non-Bagging, 46" High-Vacuum With Optional 10-Bushel Triple Bagger.
- Heavy-Duty Sector And Pinion Steering.
- Disc Brake With Pedal Lock.
- Electric Clutch PTO Control.
- Cast-Iron Front Axle.
- Welded, Full-Length, Twin-Channel Steel Frame.
- Standard Headlights.
- Front Wheels: 15 x 6-6 With Ball Bearings. Rear Wheels: 20 x 10-8.
- Feather-Touch Deck Lift With Gas Spring Assist.



Model 1720 Lawn Tractor, with optional 46" high-vacuum cutting deck and triple bagger.



Optional 46" high-vacuum cutting deck.



Model 1720 Lawn Tractor is powered by the 17 HP Kohler Magnum engine.



Spin-on oil filter is standard on Model 1720, for easy maintenance.

Power-Packed Performer.



*Model 1420 Lawn Tractor
14 HP / Hydrostatic Transmission / Optional 38" Cutting Deck*



The Model 1420's 14 HP engine offers an ideal blend of power and fuel-efficiency. Other features—including hydrostatic transmission—are the same as our top-of-the-line Model 1720.

- 14 HP Twin-Cylinder Kohler Magnum Engine.
- Full-Pressure Lubrication.
- Infinitely Variable Speed Hydrostatic Transmission.
- Optional Cutting Decks: 38" High-Vacuum With Optional 6.5-Bushel Twin Bagger, 44" Non-Bagging, 46" High-Vacuum With Optional 10-Bushel Triple Bagger.
- Heavy-Duty Sector And Pinion Steering.
- Disc Brake With Pedal Lock.
- Electric Clutch PTO Control.
- Cast-Iron Front Axle.
- Welded, Full-Length, Twin-Channel Steel Frame.
- Standard Headlights.
- Front Wheels: 15 x 6-6 With Ball Bearings.
- Rear Wheels: 20 x 10-8.

Model 1405

The Model 1405 is the same as the Model 1420, except it has an over-head valve, single-cylinder Kohler engine, and easy-clutch, easy-shift 5-speed transmission.



Model 1405 Lawn Tractor, with optional 46" cutting deck and triple bagger.



38" High-vacuum cutting deck.



Spin-on oil filter is standard on Models 1420 and 1405, for easy maintenance.



Model 1405 dash features backlit indicators and easy-to-use controls and switches.

Big Performance For Smaller Yards.



*Model 1320 Lawn Tractor
12.5 HP / Hydrostatic Transmission / Standard 38" Cutting Deck*



The Model 1320 is the tractor of choice for small to medium yards. The fuel-efficient 12.5 HP engine provides plenty of power for mowing and snow removal. Hydrostatic transmission makes operation a pleasure.

- 12.5 HP Overhead Valve Kohler Engine.
- Full-Pressure Lubrication.
- Infinitely Variable Speed Hydrostatic Transmission.
- Standard 38" High-Vacuum 2-Blade Cutting Deck.
- Optional 6.5 Bushel Twin Bagger.
- Heavy-Duty Sector And Pinion Steering.
- Disc Brake With Pedal Lock.
- Manual PTO Control.
- Cast-Iron Front Axle.
- Welded, Full-Length, Twin-Channel Steel Frame.
- Standard Headlights.
- Front Wheels: 15 x 6-6 With Bronze Bearings. Rear Wheels: 20 x 10-8.

Model 1315

The Model 1315 is identical to the 1320, except it has an easy-clutch, easy-shift 5-speed transmission, and 18 x 8.5-8 rear wheels.



Model 1315 Lawn Tractor with standard 38" high-vacuum cutting deck and optional twin bagger.



Models 1315 and 1320 Lawn Tractors feature a standard 38" high-vacuum cutting deck.



The 12.5 HP Kohler Command Engine provides rugged power for Models 1315 and 1320 Lawn Tractors.

Solid, Fuel-Efficient Value.



*Model 1020 Lawn Tractor
10HP / Hydrostatic Transmission / Standard 32" Cutting Deck*



The Model 1020 is perfect for the cost-conscious homeowner. The 10 HP Industrial / Commercial engine supplies plenty of reliable power.

- 10 HP Industrial / Commercial Briggs & Stratton Engine.
- Infinitely Variable Speed Hydrostatic Transmission.
- Standard 32" High-Vacuum 2-Blade Cutting Deck.
- Optional 6.5 Bushel Twin Bagger.
- Heavy-Duty Sector And Pinion Steering.
- Disc Brake With Pedal Lock.
- Manual PTO Control.
- Cast-Iron Front Axle.
- Welded, Full-Length, Twin-Channel Steel Frame.
- Standard Headlights.
- Front Wheels: 15 x 6-6 With Bronze Bearings. Rear Wheels: 18 x 8.5-8.

Model 1015

The Model 1015 is the same as the Model 1020, except it has an easy-clutch, easy-shift, 5-speed transmission.



Model 1015 Lawn Tractor, with standard 32" cutting deck.



Standard 32" high-vacuum cutting deck for Models 1015 and 1020 Lawn Tractors.



The 10 HP Industrial / Commercial Engine provides plenty of power for Models 1015 and 1020 Lawn Tractors.



Model 1020 dash is user-friendly, with easy-to-use controls and switches.

Here's What Makes Us Rugged

Optional Twin Bagger or Triple Bagger
Lifts up for easy bag removal.

Cushioned Seat
Easily adjusts for operator's comfort.

Seat Safety System
Provides operator dismount protection.

10-Bushel Triple or 6-Bushel Twin Bagger Capacity
Heavy duty "tight weave" nylon bags. Plastic garbage bags can be used as inserts.

Speed Control Lever
Conveniently located on dash.

Sector Gear and Pinion Steering
For easy maneuverability.

Mower Deck Spindles
Double tapered roller bearings with grease fittings for long life.



Fuel Tank
3.0 gallon,
rustproof tank.

**High-Tech Lighted Dash
Module (17 H.P. and 14 H.P. models only)**

Shows:

- Reverse
- PTO engagement
- Neutral start
- Do not engage PTO
- When to increase engine speed
- Depress pedal

17 H.P. Kohler Engine

- Twin cast-iron cylinders
- Superior torque
- Electronic ignition
- Full pressure lubrication

**Rustproof
Fiberglass Hood**

Tilts forward for
easy access to
engine and fuel tank.

Headlamps

Provide visibility
in all conditions
for safe operation.
Standard on
all models.

Air Filter

Paper cartridge with
foam pre-cleaner protects
carburetor from debris.

Spin-On Oil Filter

Standard on 17 H.P., 14 H.P. and 12.5 H.P. models.

Electric PTO Clutch

Features fingertip
engagement from seat.
(17 H.P. and 14 H.P. models only)

Frame

Welded, full-length
twin-channel steel.
Provides solid support
for operator and
attachments.

Front Axle

Made of cast-iron
to endure stress and
strain.

Lawn Tractor Attachments



190445 Triple Rear Bagger



190426 Twin Rear Bagger



190348 38" Front De-Thatcher




190424 42" Snow Blade



190653 10 Cu. Ft. Trailer



190350 40" Snowthrower (requires Wheel Weights)



190482 32" Sweeper (38" Sweeper also available—not shown)

Front-Mounted Attachments

- 190424 42" Snow Blade
- 190350 40" Snowthrower (Req. wheel weights 290215)
- 190338 De-Thatcher for 32" Deck
- 190348 De-Thatcher for 38" Deck

Center-Mounted Attachments

- 190441 38" Mowing Deck*
- 190392 44" Mowing Deck*
- 190446 46" Mowing Deck*

* Available as options on 14 H.P. and 17 H.P. models.

Rear-Mounted Attachments

- 190426 Twin Rear Bagger for 32" and 38" Decks
- 190445 Triple Rear Bagger for 46" Deck
- 290215 Wheel Weights (2 @ 31 lbs. each)

Trailing Attachments

- 190653 10 cu. ft. Trailer (750 lb. capacity)
- 190368 10 cu. ft. Trailer (1,200 lb. capacity)
- 190425 17 cu. ft. Trailer (1,500 lb. capacity)
- 190482 32" Sweeper
- 190483 38" Sweeper

Specifications

MODEL	1015	1020	1315	1320	1405	1420	1720
Power							
H.P. / Mfr.	10 H.P. Briggs & Stratton I/C		12.5 OHV Kohler		14 H.P. OHV Kohler	14 H.P. Kohler Magnum	17 H.P. Kohler Magnum
Block	Aluminum w/ cast-iron sleeve		Cast-iron cylinder / Full pressure lubrication				
Cylinder	Single-cylinder					Twin-cylinder	
Transmission							
Speeds	5 fwd. / 1 rev.	Infinite	5 fwd. / 1 rev.	Infinite	5 fwd. / 1 rev.	Infinite	Infinite
Shift	Easy shift	Hydrostatic	Easy shift	Hydrostatic	Easy shift	Hydrostatic	Hydrostatic
Electrical System							
Charging System	Flywheel Alternator						
Capacity	12 volt tri-circuit			15 amp regulated			
Battery	12 volt, lead acid type, 235 cold cranking amps						
Headlights	Standard						
Operation							
Lift	Manual (optional gas cylinder assist)				Manual with gas cylinder assist		
Steering	Heavy duty sector and pinion						
PTO Control	Manual				Electric Clutch		
Brakes	Disc brake with pedal lock						
Safety Switch	Neutral start, operator seat, no-cut-in-reverse, brake pedal lock						
Construction	Cast-iron front axle, welded full length twin-channel steel frame						
Mower Deck							
Cut / Blades	Standard 32" high-vacuum / 2 blades		Standard 38" high-vacuum / 2 blades		Optional 38" high- vacuum / 2 blades, 44" / 3 blades or 46" high-vacuum / 3 blades		
Cutting Height	6 levels from 1 5/16" to 4 1/2"						
Bagger	Optional twin bagger for 32" or 38" deck / 6.5-bushel capacity				Optional twin bagger for 38" deck / 6.5-bushel capacity or optional triple bagger for 46" deck / 10-bushel capacity		
Tires							
Front	15 x 6-6 with bronze bearings				15 x 6-6 with ball bearings		
Rear	18 x 8.5-8			20 x 10-8			
Dimensions							
Wheelbase	45"						
Overall Length	68.5"						
Overall Width	45" w / 32" deck		49" w / 38" deck		56" w / 46" deck		
Height (Top of steering wheel)	40"						
Tread-Rear Tire	33"			38"			
Turning Radius	29"						
Fuel Tank Capacity	3.0 gallons						
Operating Weight	623 lbs. w/32" deck	632 lbs. w/32" deck	672 lbs. w/38" deck	694 lbs. w/38" deck	600 lbs. w/o deck	648 lbs. w/o deck	648 lbs. w/o deck
Warranty	2 year Limited Residential Warranty / 1 year Limited Commercial Warranty						

Specifications subject to change without prior notice or obligation.

Cub Cadet Lawn Tractor Quote Sheet

Date: _____ Sales Representative: _____

Customer: _____

Model Number: _____ Description: _____

Options / Attachments: _____

Price: _____

Freight / Set-Up: _____

Less Trade-In: _____

Less Other: _____

Sub-Total: _____

Sales Tax: _____

Total: _____

Price Effective Until: _____



P.O. Box 360930
Cleveland, Ohio 44136

All specifications and designs are subject to change without prior notice or obligation.